UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/735,595	12/12/2003	Raymond C. Kurzweil	14202-005001	1751
26161 FISH & RICHA	7590 09/25/200 ARDSON PC	8		
P.O. BOX 1022	2	DUFFY, DAVID W		
MINNEAPOLIS, MN 55440-1022			ART UNIT	PAPER NUMBER
			3714	
			NOTIFICATION DATE	DELIVERY MODE
			09/25/2008	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

PATDOCTC@fr.com

	Application No.	Applicant(s)		
	10/735,595	KURZWEIL, RAYMOND C.		
Office Action Summary	Examiner	Art Unit		
	DAVID W. DUFFY	3714		
The MAILING DATE of this communication appeariod for Reply	ppears on the cover sheet wi	h the correspondence address		
A SHORTENED STATUTORY PERIOD FOR REP WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory perior - Failure to reply within the set or extended period for reply will, by statuent Any reply received by the Office later than three months after the mail earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNIC 1.136(a). In no event, however, may a red of will apply and will expire SIX (6) MON ute, cause the application to become AB	CATION. Apply be timely filed FHS from the mailing date of this communication. ANDONED (35 U.S.C. § 133).		
Status				
Responsive to communication(s) filed on 20 This action is FINAL . 2b) ☑ The 3) ☐ Since this application is in condition for allow closed in accordance with the practice under	nis action is non-final. vance except for formal matte	-		
Disposition of Claims				
4) ☐ Claim(s) 1-25 is/are pending in the application 4a) Of the above claim(s) is/are withdreds 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-25 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and	rawn from consideration.			
Application Papers				
9) The specification is objected to by the Examin 10) The drawing(s) filed on is/are: a) according a contract that any objection to the Replacement drawing sheet(s) including the correct and the contract that any objected to by the second se	ccepted or b) objected to line drawing(s) be held in abeyant ection is required if the drawing(ce. See 37 CFR 1.85(a). s) is objected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119				
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 				
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	Paper No(s	ummary (PTO-413))/Mail Date formal Patent Application 		

Art Unit: 3714

DETAILED ACTION

Status of Claims

1. This office action is in response to the amendment filed 08/20/2008 in which applicant adds claims 24 and 25. Claims 1-25 are pending.

Claim Rejections - 35 USC § 112

2. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

3. Claim 25 is rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. The claim recites the limitation "wherein the mannequin is a humanoid robot having the first body suit with tactile sensors and actuators." Examiner was unable to find any instance in the disclosure of the robot or mannequin wearing a body suit.

Claim Rejections - 35 USC § 103

- 4. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 5. Claims 1, 12, 14, 18 and 20-23 rejected under 35 U.S.C. 103(a) as being unpatentable over Choy et al. (US 6695770) in view of Yee et al. (US 6016385).

Application/Control Number: 10/735,595

Art Unit: 3714

6. In regards to claims 1 and 14, Choy discloses a virtual reality encounter system comprising: a mannequin coupled to a computer system wherein the mannequin is fitted with appropriate sensors that are connected to the computer system to transmit to another location and user device over a network (3:23-25), a headset, to display morphing animations and animated textures on the appropriate avatar (1:63 and 9:65-10:6) and a processor that overlays a virtual environment over one or more portions of a video image to form a virtual scene (8:47-58 and 9:65-10:6). Choy lacks explicitly stating the use of a camera supported by the mannequin.

Page 3

- 7. In related prior art, Yee discloses a robot system wherein an operator controls the robot and receives sensory information from the robot, including a pair of cameras corresponding to the remote user's eyes coupled to the robot for receiving a video image where the cameras send the video images via a communication network to the user (5:11-37). One skilled in the art would recognize the advantages of providing video signals to a remote user in order to provide a visual connection for the users.
- 8. Therefore it would have been obvious to one skilled in the art at the time to combine the camera configuration of Yee with the two person configuration of Choy to provide a more realistic experience to both remote users in a networked environment.
- 9. In regards to claims 12 and 22, Choy discloses a headset that communicates through a wireless link inherently including a receiver (3:41-46).
- 10. In regards to claims 18, 20, 21 and 23 Choy discloses that the robot has life-like features, the robot comprising: a body (fig 2). Choy further discloses that the system employs a headset with stereo audio and a wireless connection (3:41-46). Choy lacks

disclosing a microphone attached to the robot located in ear canals or cameras located in eye sockets.

- 11. In related prior art, Yee discloses teaches a robot having life-like features including a body (fig 3), and a microphone coupled to the body, wherein the body includes an ear canal and the microphone is positioned within the ear canal (4:52-5:1) and the body includes an eye socket and the camera is positioned in the eye socket (5:11-37) and the command and sense signals between the robot and the user may be over wireless connection (9:9-11). One skilled in the art would recognize the advantages of replicating human perception for a remote controlled robot.
- 12. Therefore it would have been obvious to one skilled in the art at the time to combine the virtual reality system of Choy with the teachings of Yee because as Yee suggests, the virtual interface of the robot, camera in eye socket and microphone in ears, is intended to make the robot more friendly in appearance to a second user, and the microphones in the ears add the benefit of being able to relay to the user a sense of direction of a sound and the cameras in the left and right eye sockets provide the user with information in a three dimensional format similar to how a human would normally view an environment (4:52-5:49).
- 13. Claims 2-6, 10, 11, 13 and 15-17 rejected under 35 U.S.C. 103(a) as being unpatentable over Choy in view of Yee as applied to claim 1 above, and further in view of Dundon (US 7046151).
- 14. In regards to claims 2 and 15, Choy discloses wherein the mannequin is a humanoid robot having tactile sensors positioned along the exterior of the robot (2:4-

- 32); the sensors sending tactile signals to a communications network (8:9-15). Choy further discloses wherein the user wears gloves with vibrotactile stimulators, or actuators, receiving data from the system (6:50-67), but does not explicitly disclose a body suit.
- 15. In related prior art, Dundon discloses an interactive body suit that permits users to interact over a network whereby the garment includes tactile actuators, the tactile actuators receiving tactile signals from the network (abstract). One skilled in the art would recognize the advantages of recreating tactile feelings over the entire body when participating in virtual congress.
- 16. Therefore it would have been obvious to one skilled in the art at the time to combine the body suit of Dundon with the system of Choy because, as Dundon suggests (29:36-55), an interactive body suit that covers a user with embedded oscillating motors provides a more realistic and interactive sensory environment when providing force feedback sense of touch and would further the stated goal of Choy (6:65-67) to enable the users to feel the virtual partners.
- 17. In regards to claims 3 and 16, Choy discloses motion sensors positioned throughout the body suit (5:46-67), the motion sensors sending motion signals corresponding to movements of each sensor relative to a reference point 0, the motion signals transmitted to the communications network (5:46-67); and a humanoid robot, receiving, from the communications network, the motion signals from the motion sensors (9:65-10:32), the motion signals from the motion sensors causing a movement

of the robot that is correlated to a movement of the body suit (3:11-25, 6:1-49 and 7:20-23).

- 18. In regards to claims 4 and 17, Choy discloses that the robot includes motion actuators corresponding to the motion sensors, the motion actuators causing the robot to move (7:20-23 and 8:1-15).
- 19. In regards to claims 5, 6, 10, 11 and 13 Choy discloses that the robot has life-like features, the robot comprising: a body (fig 2). Choy further discloses that the system employs a headset with stereo audio and a wireless connection (3:41-46). Choy lacks disclosing a microphone attached to the robot located in ear canals or cameras located in eye sockets.
- 20. In related prior art, Yee discloses teaches a robot having life-like features including a body (fig 3), and a microphone coupled to the body, wherein the body includes an ear canal and the microphone is positioned within the ear canal (4:52-5:1) and the body includes an eye socket and the camera is positioned in the eye socket (5:11-37) and the command and sense signals between the robot and the user may be over wireless connection (9:9-11). One skilled in the art would recognize the advantages of replicating human perception for a remote controlled robot.
- 21. Therefore it would have been obvious to one skilled in the art at the time to combine the virtual reality system of Choy with the teachings of Yee because as Yee suggests, the virtual interface of the robot, camera in eye socket and microphone in ears, is intended to make the robot more friendly in appearance to a second user, and the microphones in the ears add the benefit of being able to relay to the user a sense of

direction of a sound and the cameras in the left and right eye sockets provide the user with information in a three dimensional format similar to how a human would normally view an environment (4:52-5:49).

- 22. Claims 7, 8, 9 rejected under 35 U.S.C. 103(a) as being unpatentable over Choy in view of Yee and Dundon as applied to claim 6 above, and further in view of Abbasi (US 6786863).
- 23. In regards to claims 7 and 9, Choy in view of Yee discloses a robot at a first location and a set of goggles at a second location (Choy: 9:65-11:17); a second humanoid robot in the second location having life-like features and rendering acquired video and audio signals received from a communications network into a user headset (Choy: 9:65-11:17). Choy further discloses sending audio and visual signals to the headset of the user (fig 1 and 3:10-4:55). The combination lacks explicitly disclosing sending audio and video signals from a second microphone and camera coupled to a second robot.
- 24. In related prior art, Abbasi discloses a remote physical encounter system and method comprising a second mechanical surrogate with external sensory devices including a second camera and a second microphone and sending the signals to a communications network (fig 1) wherein the communications network comprises an interface having one or more channels for receiving the audio signals from the microphone and receiving the video signals from the camera (fig 1). One skilled in the art would recognize the advantages of including a microphone and camera when two people are interacting remotely.

Application/Control Number: 10/735,595

Art Unit: 3714

25. Therefore it would have been obvious to one skilled in the art at the time to combine the system of Choy with the teachings of Abbasi because the use of sight and sound is important for easy communication and as Choy suggests, the combination of touch, audio and visual stimulation is a powerful and effective means of communication (1:19-22).

Page 8

- 26. In regards to claim 8, Choy discloses the communications network includes a first communication gateway in the first location and a second communication gateway in the second location (9:65-10:6), the second processor connected to the first processor via a network (7:64-8:38 and 11:1-12).
- 27. Claim 19 is rejected under 35 U.S.C. 103(a) as being unpatentable over Choy in view of Yee as applied to claim 18 above, and further in view of Abbasi.
- 28. Choy in view of Yee discloses a robot at a first location and a set of goggles at a second location (Choy: 9:65-11:17); a second humanoid robot in the second location having life-like features and rendering acquired video and audio signals received from a communications network into a user headset (Choy: 9:65-11:17). Choy further discloses sending audio and visual signals to the headset of the user (fig 1 and 3:10-4:55). The combination lacks explicitly disclosing sending audio and video signals from a second microphone and camera coupled to a second robot.
- 29. In related prior art, Abbasi discloses a remote physical encounter system and method comprising a second mechanical surrogate with external sensory devices including a second camera and a second microphone and sending the signals to a communications network (fig 1) wherein the communications network comprises an

interface having one or more channels for receiving the audio signals from the microphone and receiving the video signals from the camera (fig 1). One skilled in the art would recognize the advantages of including a microphone and camera when two people are interacting remotely.

- 30. Therefore it would have been obvious to one skilled in the art at the time to combine the system of Choy with the teachings of Abbasi because the use of sight and sound is important for easy communication and as Choy suggests, the combination of touch, audio and visual stimulation is a powerful and effective means of communication (1:19-22).
- 31. Claims 24-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Choy et al. (US 6695770) in view of Dundon (US 7046151) and Abbasi (US 6786863).
- 32. In regards to claim 24, Choy discloses a mannequin coupled to a computer system wherein the mannequin is fitted with appropriate sensors that are connected to the computer system to transmit to another location and user device over a network (3:23-25) and a body suit with motion sensors and gloves with vibrotactile stimulators, or actuators, receiving data from the system (5:1-6:67), motion sensors positioned throughout the body suit sending motion signals corresponding to movements to a communications network (5:46-67), and a set of goggles for displaying images from the system (3:41-4:55). Choy does not explicitly disclose a first and second camera on a first and second mannequin.
- 33. In related prior art, Abbasi discloses a remote physical encounter system and method comprising a second mechanical surrogate with external sensory devices

Art Unit: 3714

including a second camera and a second microphone and sending the signals to a communications network (fig 1) wherein the communications network comprises an interface having one or more channels for receiving the audio signals from the microphone and receiving the video signals from the camera (fig 1). One skilled in the art would recognize the advantages of including a microphone and camera when two people are interacting remotely.

- 34. Therefore it would have been obvious to one skilled in the art at the time to combine the system of Choy with the teachings of Abbasi because the use of sight and sound is important for easy communication and as Choy suggests, the combination of touch, audio and visual stimulation is a powerful and effective means of communication (1:19-22). The combination made does not explicitly disclose motion actuators disposed over the body suit.
- 35. In related prior art, Dundon discloses an interactive body suit that permits users to interact over a network whereby the garment includes tactile actuators, the tactile actuators receiving tactile signals from the network (abstract). One skilled in the art would recognize the advantages of recreating tactile feelings over the entire body when participating in virtual congress.
- 36. Therefore it would have been obvious to one skilled in the art at the time to combine the body suit of Dundon with the system of Choy because, as Dundon suggests (29:36-55), an interactive body suit that covers a user with embedded oscillating motors provides a more realistic and interactive sensory environment when

providing force feedback sense of touch and would further the stated goal of Choy (6:65-67) to enable the users to feel the virtual partners.

- 37. In regards to claim 25, Choy discloses the mannequin is a humanoid robot with tactile sensors (2:4-32) and tactile actuators (3:11-25, 6:1-49 and 7:20-23), but does not explicitly state that the sensors and actuators are in a body suit on the robot.
- 38. In related prior art, Dundon discloses an interactive body suit that permits users to interact over a network whereby the garment includes tactile actuators, the tactile actuators receiving tactile signals from the network (abstract). One skilled in the art would recognize the advantages of a removable body suit to contain the sensors to ease repair or replacement.
- 39. Therefore it would have been obvious to one skilled in the art at the time to use a body suit to hold the sensors to ease repair and replacement of the sensors and actuators over the internally mounted equipment of Choy.

Response to Arguments

40. Applicant's arguments filed 08/20/2008 have been fully considered but they are not persuasive. Applicant again argues that Choy does not disclose overlaying a virtual environment over a portion of video images received from a camera mounted on the mannequin to create a virtual scene. Examiner again respectfully disagrees. Choy clearly discloses overlaying video images with virtual overlays in order to create a virtual scene (8:53-58) and that the system may be used remotely by multiple participants. Yee clearly teaches remote cameras that replicate human vision for remote applications. One of ordinary skill in the art would have recognized the advantages of a

Art Unit: 3714

human like vision system as taught by Yee and the benefits the camera location would have had when combined with the system of Choy so that the partners might be able to see each other while engaging in remote controlled congress. As the combination teaches the use of a camera to provide images and teaches overlaying video images to create a virtual scene, the claims are unpatentable over the combination.

- 41. One cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986).
- 42. Applicant's arguments concerning the rejection of claims 7-9 are not persuasive. Applicant denies that Choy clearly discloses goggles for the user to wear (3:40-4:55). Applicant further argues that there is no motivation to replace the display of Abbasi with the goggles of Choy. Examiner made no such statement or combination. Choy teaches the system set forth above with multiple remote users interacting. Abbasi teaches that in systems with two persons interacting remotely it is beneficial for each party to have a microphone and a camera. Therefore the combination would teach each party of Choy having a microphone, camera, and headset in order to interact with each other.

Conclusion

43. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Art is cited on attaché PTO-892.

Art Unit: 3714

Any inquiry concerning this communication or earlier communications from the examiner should be directed to DAVID W. DUFFY whose telephone number is (571)272-1574. The examiner can normally be reached on M-F 0830-1700.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Xuan M. Thai can be reached on (571) 272-7147. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/D. W. D./ Examiner, Art Unit 3714

> /Corbett Coburn/ Primary Examiner AU 3714